*1. To allow us to link your responses to this evaluation with other information you provided and may provide in the future as a part of this project, please provide your							
iniversity/institutional e-mail address:  *2. Please provide your university/institutional ID code/number (if available):							
*2. Flease provide your university	//institutional ID code/number (ii available):						
<ol> <li>Please enter your last name:</li> </ol>							
<sup>K</sup> 4. Please enter the name of the city in which you were born:							
<sup>5</sup> 5. I am:							
Male							
Female							
6. What is your primary field of s	tudy?						
Nursing	Athletic training						
Nutrition/Dietetics	Social work						
Physical therapy							

Mental Health
7. At a recent appointment Mrs. Conners' primary care provider observed that she is
socially withdrawn, irritable and has an unkempt appearance. Mrs. Conners will most likely
be diagnosed with a mental disorder if:
her behavior is deviant, distressful, dysfunctional and not appropriate given the context.
her behavior is perceived a danger to herself and others.
her behavior is related to a recent medical condition.
all of the above are true.
8. Which of the following statements is <u>untrue</u> regarding Alzheimer's disease (AD)?
AD is characterized by cell death and loss of brain volume in the hippocampus.
Memories for distant past events are lost first and eventually memories for recent past events are also lost.
Brain degeneration in AD is due to clumping of amyloid beta proteins and accumulation of neurofibrillary tangles.
Individuals with AD may have trouble communicating with others and making decisions.
9. Audrey is beginning to notice a decline in her memory that is worse than what she sees
in her friends of a similar age. She isn't noticing any other problems in her ability to think
or solve problems and so far she has been able to cope with this problem without it
affecting her daily life. Audrey is likely experiencing:
Alzheimer's disease
Depression
Mild cognitive Impairment
10. Describe a situation where it would be best to use an assessment of cognitive ability
that has:
High Sensitivity:
High Specificity:
11. Which of the following are known risk factors for depression (check all that apply)?
living with a chronic health condition
being over the age of 60
being female

living in a long-term care institution

recent loss of a close friend or loved one

	ferent as	sessment	for depre	ssion in (	older ad	ults (like
cale) than	what or	ne might u	se to asso	ess depre	ession in	ı younger
the Beck	Depress	ion Invent	tory)?			
s about physica	ıl symptoms a	nd hope for the	future and this i	s inappropriate	e for use in o	lder adults.
n more frequent	than depress	ion in younger a	ind middle aged	adults.		
ty and that is im	portant when	assessing older	adults.			
d patient/c	client. us	ed to run	marathon	s but has	recentl	v
-	•					-
reports fo	eling ho	peless, iri	ritable, an	d usually	/ choose	es not to
			•	•	what kir	nd of
should yo	ou consid	der referri	ng Charlic	e for:		
	-			wing are	essentia	al to
-				Quite	Verv	Completely
O	O	O	O	O	Ö	O
0	0	0	$\circ$	0	0	0
$\circ$	$\circ$	$\circ$	$\circ$	0	0	$\circ$
nticipate	experier	cing that	could limi	t your ab	ility to t	ake an
borative a	ipproach	to naviga	ting ment	al health	issues	with your
					A	3
	as about physical more frequent ty and that is im the distribution of the distribution	as about physical symptoms as more frequent than depress ty and that is important when dependent patient/client, us damage and experence reports feeling hourable activities. As should you consider the township of the patient of the	as about physical symptoms and hope for the more frequent than depression in younger at ty and that is important when assessing oldered patient/client, used to run damage and experiences direports feeling hopeless, in urable activities. As a health should you consider referring the total should you consider referring to the typical state of the post of the typical state of the post of the typical state of the post of the typical state of typ	ty and that is important when assessing older adults.  It patient/client, used to run marathon damage and experiences difficulty by reports feeling hopeless, irritable, and urable activities. As a health care provided should you consider referring Charlies and the control of the follower professional healthcare teams.  Not at all A little Somewhat Moderately Moderately Charlies	as about physical symptoms and hope for the future and this is inappropriate in more frequent than depression in younger and middle aged adults.  It yand that is important when assessing older adult	as about physical symptoms and hope for the future and this is inappropriate for use in on more frequent than depression in younger and middle aged adults.  Ity and that is important when assessing older adults.  It patient/client, used to run marathons but has recentled damage and experiences difficulty breathing when erreports feeling hopeless, irritable, and usually choose urable activities. As a health care provider, to what kind should you consider referring Charlie for:  I should you consider referring Charlie for:  I see to which you feel each of the following are essentiated as a serprofessional healthcare teams.