


Fall 2011
CHEM 1110.40413
Test 3, Form A

Name: _____

Part I. Multiple Choice: Clearly circle the best answer. (40 pts)

1. What is the molecular shape of the H₂O molecule?

- A) square planar.
- B) bent.
- C) tetrahedral.
- D) trigonal pyramidal



2. What is the total number of electron domains for a H₂O molecule?

- A) 2
- B) 5
- C) 3
- D) 4

3. What is the hybridization of the oxygen atom in H₂O?


- A) sp^3
- B) sp^3d
- C) sp
- D) sp^2

4. Which process defines how ionic compounds break apart into its constituent ions upon dissolution?

- A) Decomposition
- B) Electrolysis
- C) Dissociation
- D) Dissolution

5. The number of pi bonds in the molecule below is


- A) 5
- B) 9
- C) 3
- D) 2



6. What is the name given to the quantitative relationship between the substances that are consumed and produced in a chemical reaction?

- A) Percent Composition
- B) Law of Molecular Balance
- C) Law of Definite Proportions
- D) Stoichiometry


7. When balanced with smallest set of whole numbers, the coefficient of O₂ in the following equation is



- A) 3
- B) 2
- C) 4
- D) 6

8. Predict the molecular geometry of the AsF₅ molecule.


- A) T-shaped
- B) trigonal bipyramidal
- C) tetrahedral
- D) octahedral



9. What is the hybridization of the As atom in the AsF₅ molecule?
- sp^3d
 - sp^3d^2
 - sp^3
 - sp
10. Which is a balanced equation for the combustion of benzene (C₆H₆)?
- $2C_6H_6(l) + 9O_2(g) \rightarrow 6H_2O(g) + 12CO_2(g)$
 - $C_6H_6(l) + 9O_2(g) \rightarrow 3H_2O(g) + 6CO_2(g)$
 - $2C_6H_6(l) + 15O_2(g) \rightarrow 6H_2O(g) + 12CO_2(g)$
 - $C_6H_6(l) + 15O_2(g) \rightarrow 3H_2O(g) + 6CO_2(g)$
11. Balance the following equation: $\underline{\hspace{1cm}}K_2CO_3(aq) + \underline{\hspace{1cm}}HCl(aq) \rightarrow \underline{\hspace{1cm}}KCl(aq) + \underline{\hspace{1cm}}H_2CO_3(aq)$
- $K_2CO_3(aq) + 2 HCl(aq) \rightarrow 2 KCl(aq) + H_2CO_3(aq)$
 - $2 K_2CO_3(aq) + HCl(aq) \rightarrow 4 KCl(aq) + H_2CO_3(aq)$
 - $2 K_2CO_3(aq) + 2 HCl(aq) \rightarrow 4 KCl(aq) + 2 H_2CO_3(aq)$
 - $K_2CO_3(aq) + HCl(aq) \rightarrow KCl(aq) + H_2CO_3(aq)$
12. The distinguishing characteristic of all electrolyte solutions is that they
- always contain acids.
 - conduct electricity.
 - conduct heat.
 - react with other solutions.
13. Use VSEPR theory to predict the shape of the PCl₃ molecule.
- trigonal planar
 - linear
 - tetrahedral
 - trigonal pyramidal
- $$\begin{array}{c} \text{:}\ddot{\text{Cl}}\text{---}\ddot{\text{P}}\text{---}\ddot{\text{Cl}}\text{:} \\ | \\ \text{:}\ddot{\text{Cl}}\text{:} \end{array}$$
14. Indicate the type of hybrid orbitals used by the central atom in PCl₃.
- sp
 - sp^3d
 - sp^3d^2
 - sp^3
15. What is the coefficient of H₂O when the following equation is properly balanced with the smallest set of whole numbers?
- $$\underline{\hspace{1cm}} Na + \underline{\hspace{1cm}} H_2O \rightarrow \underline{\hspace{1cm}} NaOH + \underline{\hspace{1cm}} H_2$$
- 1
 - 4
 - 3
 - 2
16. Which of these chemical equations describes a *decomposition reaction*?
- $2KBr(aq) + Cl_2(g) \rightarrow 2KCl(aq) + Br_2(l)$
 - $CaBr_2(aq) + H_2SO_4(aq) \rightarrow CaSO_4(s) + 2HBr(g)$
 - $2C_2H_6(g) + 7O_2(g) \rightarrow 4CO_2(g) + 6H_2O(l)$
 - $2H_2O_2(aq) \rightarrow 2H_2O(l) + O_2(g)$
17. Which of these chemical equations describes a *combustion reaction*?
- $N_2(g) + 3H_2(g) \rightarrow 2NH_3(g)$
 - $2C_2H_6(g) + 7O_2(g) \rightarrow 4CO_2(g) + 6H_2O(l)$
 - $2Na(s) + 2H_2O(l) \rightarrow 2NaOH(aq) + H_2(g)$
 - $LiOH(aq) + HNO_3(aq) \rightarrow LiNO_3(aq) + H_2O(l)$

18. According to the VSEPR theory, the molecular shape of SiCl_4^{2-} is

- A) see-saw.
- B) trigonal bipyramidal.
- C) trigonal planar.
- D) tetrahedral.



19. What is the number of lone electron pairs on the central atom SiCl_4^{2-} ?


- A) 3
- B) 0
- C) 2
- D) 1

20. Which one of the following molecules is *nonpolar*?

- A) H_2O
- B) AsF_5
- C) PCl_3
- D) SiCl_4^{2-}

Part II. Calculations: Clearly show all work for full credit. (65 pts --- 5 bonus points!)


1. (10 pts) Phosphine, an extremely poisonous and highly reactive gas, will react with oxygen to form tetraphosphorus decaoxide and water. Calculate the mass of P_4O_{10} formed when 225 g of PH_3 reacts with excess oxygen. (MM of $\text{PH}_3 = 34.00 \text{ g/mol}$, MM of $\text{P}_4\text{O}_{10} = 195.00 \text{ g/mol}$)



2. (10 pts) How many grams of sugar are needed to make 4.25L of 0.375 mol/L sugar? (MM of sugar = 180.12 g/mol)


3. (5 pts) In an experiment, a student needs 125 mL of a 0.250 M NaOH solution. A stock solution of 5.00 M NaOH is available. How much of the stock solution is needed?

4. (30 pts) The insecticide DDT was formerly in widespread use, but now it is severely restricted owing to its adverse environmental effects. DDT is prepared from the reaction of chloral and chlorobenzene. A chemist reacts 10.0 g of chloral with 10.0 g of chlorobenzene. (MM of $C_2HCl_3O = 147.39$ g/mol, MM of $C_6H_5Cl = 112.56$ g/mol, MM of $C_{14}H_9Cl_5 = 354.49$ g/mol)



- a. What is the limiting reactant?
- b. What is the mass (g) of the excess reagent left over when the reaction is complete?
- c. What is the theoretical mass (g) of DDT which could be formed?
- d. What is the percent yield, if 12.5 g of DDT is produced?

5. (10 pts) Automobile batteries use 3.0 M H₂SO₄ as an electrolyte. What volume (in L) of 1.20 M NaOH will be needed to neutralize 225 L of 3.0 M H₂SO₄?



	IA																	VIIIA																																																																																				
1	1											2							2																																																																																			
	H											He							4.00																																																																																			
	1.008																																																																																																					
2	3	4											5	6	7	8	9	10																																																																																				
	Li	Be											B	C	N	O	F	Ne																																																																																				
	6.94	9.01											10.81	12.01	14.01	16.00	19.00	20.18																																																																																				
3	11	12											13	14	15	16	17	18																																																																																				
	Na	Mg											Al	Si	P	S	Cl	Ar																																																																																				
	22.99	24.31											26.98	28.09	30.97	32.06	35.45	39.95																																																																																				
			IIIB	IVB	VB	VIB	VIIIB	VIII B			IB	IIB																																																																																										
4	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36																																																																																				
	K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr																																																																																				
	39.10	40.08	44.96	47.90	50.94	52.00	54.94	55.85	58.93	58.71	63.55	65.37	69.72	72.59	74.92	78.96	79.90	83.80																																																																																				
5	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54																																																																																				
	Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe																																																																																				
	85.47	87.62	88.91	91.22	92.91	95.94	[98]	101.1	102.9	106.4	107.9	112.40	114.8	118.7	121.8	127.60	126.90	131.30																																																																																				
6	55	56	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86																																																																																				
	Cs	Ba	Lu	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn																																																																																				
	132.9	137.3	175	178.5	181	183.9	186.2	190.2	192.2	195.1	197	200.59	204.4	207.2	209	[209]	[210]	[222]																																																																																				
7	87	88	103	104	105	106	107	108	109	110	111	112	113	114	115	116		118																																																																																				
	Fr	Ra	Lr	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Uub	Uut	Uuq	Uup	Uuh		Uuo																																																																																				
	[223]	[226]	[262]	[267]	[268]	[271]	[272]	[270]	[276]	[281]	[280]	[285]	[284]	[289]	[288]	[293]		[294]																																																																																				
	<table border="1"> <tr> <td>57</td><td>58</td><td>59</td><td>60</td><td>61</td><td>62</td><td>63</td><td>64</td><td>65</td><td>66</td><td>67</td><td>68</td><td>69</td><td>70</td> </tr> <tr> <td>La</td><td>Ce</td><td>Pr</td><td>Nd</td><td>Pm</td><td>Sm</td><td>Eu</td><td>Gd</td><td>Tb</td><td>Dy</td><td>Ho</td><td>Er</td><td>Tm</td><td>Yb</td> </tr> <tr> <td>138.9</td><td>140.1</td><td>140.9</td><td>144.2</td><td>[145]</td><td>150.4</td><td>152</td><td>157.3</td><td>158.9</td><td>162.5</td><td>164.93</td><td>167.3</td><td>168.9</td><td>173</td> </tr> <tr> <td>89</td><td>90</td><td>91</td><td>92</td><td>93</td><td>94</td><td>95</td><td>96</td><td>97</td><td>98</td><td>99</td><td>100</td><td>101</td><td>102</td> </tr> <tr> <td>Ac</td><td>Th</td><td>Pa</td><td>U</td><td>Np</td><td>Pu</td><td>Am</td><td>Cm</td><td>Bk</td><td>Cf</td><td>Es</td><td>Fm</td><td>Md</td><td>No</td> </tr> <tr> <td>[227]</td><td>232</td><td>[231]</td><td>238</td><td>[237]</td><td>[244]</td><td>[243]</td><td>[247]</td><td>[247]</td><td>[251]</td><td>[252]</td><td>[257]</td><td>[258]</td><td>[259]</td> </tr> </table>																		57	58	59	60	61	62	63	64	65	66	67	68	69	70	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	138.9	140.1	140.9	144.2	[145]	150.4	152	157.3	158.9	162.5	164.93	167.3	168.9	173	89	90	91	92	93	94	95	96	97	98	99	100	101	102	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	[227]	232	[231]	238	[237]	[244]	[243]	[247]	[247]	[251]	[252]	[257]	[258]	[259]
57	58	59	60	61	62	63	64	65	66	67	68	69	70																																																																																									
La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb																																																																																									
138.9	140.1	140.9	144.2	[145]	150.4	152	157.3	158.9	162.5	164.93	167.3	168.9	173																																																																																									
89	90	91	92	93	94	95	96	97	98	99	100	101	102																																																																																									
Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No																																																																																									
[227]	232	[231]	238	[237]	[244]	[243]	[247]	[247]	[251]	[252]	[257]	[258]	[259]																																																																																									

REPRESENTATIVE VSEPR STRUCTURES



Bonding Domains
Nonbonding Domains
Electron Geometry
Molecular Geometry
Hybridization

6
0
Octahedral
Octahedral
 sp^3d^2



5
1
Octahedral
Square pyramidal
 sp^3d^2




4
2
Octahedral
Square planar
 sp^3d^2




Bonding Domains
Nonbonding Domains
Electron Geometry
Molecular Geometry
Hybridization


5
0
Trigonal bipyramidal
Trigonal bipyramidal
 sp^3d



4
1
Trigonal bipyramidal
See-saw
 sp^3d



3
2
Trigonal bipyramidal
T-Shaped
 sp^3d




2
3
Trigonal bipyramidal
Linear
 sp^3d




Bonding Domains
Nonbonding Domains
Electron Geometry
Molecular Geometry
Hybridization


4
0
Tetrahedral
Tetrahedral
 sp^3



3
1
Tetrahedral
Trigonal pyramidal
 sp^3




2
2
Tetrahedral
Bent
 sp^3




Bonding Domains
Nonbonding Domains
Electron Geometry
Molecular Geometry
Hybridization

3
0
Trigonal planar
Trigonal planar
 sp^2



2
1
Trigonal planar
Bent
 sp^2



Total Electron Domains
Bonding Domains
Nonbonding Domains
Electron Geometry
Molecular Geometry

2
2
0
Linear
Linear