

**\*1. To allow us to link your responses to this evaluation with other information you have provided and may provide in the future as a part of this project, please provide your university/institutional e-mail address:**

**\*2. Please provide your university/institutional ID code/number (if available):**

**\*3. Please enter your last name:**

**\*4. Please enter the name of the city in which you were born:**

**\*5. I am:**

Male

Female

**\*6. What is your primary field of study?**

Nursing

Nutrition/Dietetics

Physical therapy

Athletic training

Social work

**7. When doing a home visit, Mrs. Johnson's social worker called her pharmacist for an interprofessional consult. Why?**

- It is a routine part of home visits to consult with all members of the interprofessional health care team.
- It was outside the social worker's scope of practice to singlehandedly reconcile multiple medications from multiple prescribers.
- Consulting with a pharmacist is a required first step before referring the client to a primary care provider.
- All of the above

**8. Though the consultation with Mrs. Johnson's pharmacist was effective for providing quality, patient-centered care, many interprofessional interactions break down. Which of the following issues would contribute to a break down in an interprofessional interaction? (check all that apply)**

- recognizing each team member's limitations in skills, knowledge, and abilities
- using jargon when communicating with other members of the team
- failing to give timely responses to team members
- assuming that other members of the team are aware of your roles and responsibilities
- presuming that primary care providers will automatically ignore your suggestions and concerns
- placing the interests of patients at the center of interprofessional health care delivery

**9. Which of the following is NOT specifically assessed in the STEADI toolkit?**

- a client's history of falling
- a client's fear of falling
- a client's clearness of vision
- a client's blood pressure

**10. When assessing gait and balance, as part of STEADI, which of the following is correct?**

- The 30-second Chair Stand requires the client to rise from a sitting position to a full upright position as many times as possible in 30 seconds.
- The Timed Up and Go Test requires the client to stand up and walk a distance of 200 feet as quickly as possible.
- The 4-stage Balance Test requires the client to stand for 10 seconds in each of 4 progressively more difficult stances
- All of the above are correct
- Both A and C are correct

**11. Despite the health care team's commitment to providing quality, safe, patient-centered care, working in an interprofessional team to assess a patient's safety and risk of falling could present ethical issues. What ethical issue(s) would you anticipate?**

**12. The Department of Veteran's Affairs has suggested that "an essential component of patient-centered primary care practice is interprofessional teamwork. High functioning teams require collaboration between physicians, nurses, pharmacists, social workers, clinical psychologists, case managers, medical assistants and clinical administrators." Please describe three factors, that were modeled in this module, that contributed to effective interprofessional teamwork.**

**Factor One:**

**13. Factor Two:**

**14. Factor Three:**

**15. Please identify the degree to which you feel each of the following are essential to effective functioning of interprofessional healthcare teams.**

	Not at all	A little	Somewhat	Moderately	Quite	Very	Completely
Knowing the expertise of other professionals with whom I may work	<input type="radio"/>						
Mastering skills required for effective patient-centered interprofessional collaboration	<input type="radio"/>						
Collaborating as team members	<input type="radio"/>						

**16. What barrier(s) do you anticipate experiencing that could limit your ability to practice interprofessional and collaborative care of patients in your future career?**